

August 14, 2008

Mr. Dan McCaskill, CIH BNSF Railway Company 2600 Lou Menk Drive Fort Worth, TX 76161

Re: Rail Crossing Air Monitoring
BNSF Personnel
Jay Effar Road and Cedar Creek Crossings
Libby, Montana
EMR Project No. 5539.100

Dear Mr. McCaskill:

EMR, Inc. (EMR) was contacted by the BNSF Railway Company (BNSF) to conduct personal air monitoring on the local BNSF Maintenance-of-Way crew during track crossing replacement at Jay Effar Road and Cedar Creek in Libby, Montana. EMR commenced with air monitoring during replacement of the Jay Effar Road crossing on July 22, 2008, finishing on July 23, 2008. EMR returned to conduct air monitoring on the Cedar Creek Crossing on July 29, 2008. Air monitoring was conducted to evaluate for the potential presence of airborne contaminant asbestos fibers associated with rail transport of W.R. Grace vermiculite ore or processed Zonolite shipped on this line through approximately 1990, the date of the mine closure.

Dan McCaskill, Manager Industrial Hygiene for BNSF, was on-site to communicate personal protective equipment (PPE) requirements of the work activity to the BNSF crew and to observe air monitoring activities by EMR. Nicole Bein, CDM representative, was on-site to observe work activities on behalf of EPA. David Welch, Project Site Manager for EMR, was on site to conduct personal air monitoring and PCM analysis of air samples collected from the BNSF track replacement crew and deliver air cassettes to EMSL 's Libby laboratory for AHERA TEM analysis.

Attached are a site location map, photolog of work activities, air monitoring data sheets with PCM air monitoring results, TEM results from EMSL laboratory and signed chain-of-custodies for samples submitted to EMSL lab.

Site Activities-Jay Effar Road

Crossing replacement activities commenced on July 21, 2008. However, there was no soil/ballast disturbance during initial activity of pulling rubber crossing panels and no air monitoring was conducted until the following day. On July 22, 2008, BNSF conducted track replacement of the siding track adjacent to the mainline. The work consisted of cutting the rail section spanning across the crossing, pulling the rail and ties out of the crossing, excavation of a limited quantity of track bed, removal and replacement of deteriorated ties and re-connecting the rail section with bolt plates. Following replacement, fresh ballast was placed over the track bed, tamped, regulated and raised to the proper

elevation. A water truck was utilized throughout the work activity for dust control. During this activity, EMR placed Gillian BDX II personal air pumps equipped with Zefon (Lot #15466) 25mm PCM cassettes with 0.8 um MCE filters on five BNSF employees:

Stu Hart, Tamper, BNSF Employee #5506852; Kerry Tunison, Crew Foreman, BNSF Employee #2650224; Tim Swilley, Ballast Regulator, BNSF Employee #7451719; Roger Stanley, Ground Crew, BNSF Employee #7456288; and Doug Atkins, Ground Crew, BNSF Employee #1689297

These samples were labeled samples #1 through #5 with two blanks labeled #6 and #7. Based on BNSF Maintenance-of-Way Track Time allowance to conduct the work, the BNSF crews worked continuously during track replacement activities. 3M half face respirators and tyvek suits were worn by BNSF personnel during the work activity. Work activities were temporarily suspended during eastbound and westbound train movement throughout the replacement.

Following phase contrast microscopy (PCM) analysis and at the request of BNSF, EMR delivered select air samples (#2 through #5) to the EMSL Libby laboratory for transmission electron microscopy (TEM) by the AHERA method.

Work resumed on July 23, 2008. Two additional BNSF employees were monitored:

Tom Long, Loader Operator, BNSF Employee #4876306; and Tom Dinning, Ground Crew, BNSF Employee #1689413

Employees from the previous day were monitored again with the exception of Roger Stanley, Ground Crew. The front-end loader equipment was primarily used to scrape ballast and soil from the track section removal area to allow placement of the replacement track section. In addition, the loader was used to maintain a right-of-way fire line to help protect the mainline and sidings from potential forest fires during fire season. Following phase contrast microscopy (PCM) analysis of the July 23, 2008 samples, EMR delivered select air samples (#9, #11, #12 and #13) to the EMSL Libby laboratory for transmission electron microscopy (TEM) by the AHERA method. Sample #12 was too overloaded for PCM analysis but was acceptable for TEM analysis.

Analytical Results-Jay Effar Road

Based on PCM results, four of five samples were submitted for TEM analysis for July 22, 2008 and four of six samples submitted on July 23, 2008. No detectable asbestos structures were identified by TEM on any of the samples.

Site Activities-Cedar Creek Road Crossing

The Cedar Creek Road crossing replacement was conducted on July 29, 2008. The crossing replaced was mainline track. No siding track was present on this crossing. Dan McCaskill, BNSF Manager of Industrial Hygiene, was not available to observe operations. However, EMR was in communication with Mr. McCaskill during all site activities. Ms. Nicole Bein of CDM Federal Programs was on-site during the replacement of the Cedar Creek Crossing to observe operations on behalf of EPA. Track time to conduct the work was limited with westbound and eastbound freight trains held up until track could be reconnected. Though a water truck was requested by BNSF industrial hygiene to be on-site for dust control at the time of track replacement, no water truck was available during site activities. Any visible dust created during the crossing work was primarily related to replacement ballast regulating activities following track section connection; dust related to soil and ballast under the track bed was limited. This

work consisted of cutting the mainline rail section spanning across the crossing, pulling the rail and ties out of the crossing, excavation of a limited quantity of track bed, removal and replacement of deteriorated ties and re-connecting the rail section with bolt plates. Following replacement, fresh ballast was placed over the track bed, tamped, regulated and raised to the proper elevation. During this activity, EMR placed Gillian BDX II personal air pumps equipped with Zefon (Lot #15466) 25mm PCM cassettes with 0.8 um MCE filters on six BNSF employees:

Doug Atkins, Ground Crew, BNSF Employee #1689297 Tom Long, Front end Loader Operator, BNSF Employee #4876306 Roger Stanley, Ground Crew, BNSF Employee #7456288 Kerry Tunison, Crew Foreman, BNSF Employee #2650224 Tim Swilley, Ballast Regulator, BNSF Employee #7451719; and Greg Carter, Ground Crew, BNSF Employee #5508833

Because no water truck was available for dust control, all of the six personal samples were submitted to EMSL Labs for analysis by AHERA TEM. These samples were labeled #16 through 21 as well as two blanks labeled #22 and 23.

Analytical Results-Cedar Creek Road Crossing

Sample #16 worn by Doug Atkins, BNSF Ground Crew was considered dust overloaded by the EMSL Libby lab. EMR requested that this overloaded sample be tested for AHERA TEM by the indirect preparation method to allow TEM analysis. No detectable asbestos structures were identified by TEM on any of the samples.

EMR appreciates this opportunity to be of service. If you have any questions, please call at your earliest convenience.

Best Regards,

David L. Welch, L.G. Project Site Manager

Attach: Site Locations Map-Aerial Photograph


Photolog

Asbestos Air Sampling Data Sheet/Chain-of-Custody

TEM Analytical Results

David & Welch

Photo courtesy of Google EarthTM







BNSF Crossing Replacements Jay Effar Road and Cedar Creek Libby, Montana Designed by: DLW
Drawn by: DLW
Checked by: TP

Project # 5539-100

Revision: 1 Date: 8-14-2008

Scale: Not Available

Figure 1 Site Location Map

Photolog EMR Project Number 5539.100 BNSF – Track Crossing Air Monitoring Jay Effar Road Replacement Libby, Montana



Photo 1: Removing track section from Jay Effar Road Xing.



Photo 2: Water truck conducting dust control.



Photo 3: Production tamper on Jay Effar Road Xing.



Photo 4: BNSF crews working on removed track section



Photo 5: Ballast regulator on Jay Effar Road Xing.



Photo 6: Installing new Xing Panels.

Photolog EMR Project Number 5539.100 BNSF – Track Crossing Air Monitoring Cedar Creek Crossing Replacement Libby, Montana



Photo 1: Removed track section over Cedar Creek Xing.



Photo 2: Loader working at Cedar Creek crossing.



Photo 3: Fresh ballast placement over track Xing-Cedar
Creek.



Photo 4: BNSF crews working on removed track section



Photo 5: Crossing immediately after removal of track section.



Photo 6: BNSF worker controlling flow of ballast out of hopper car.

		ASBESTOS AIR SAMPLING CHA
	PASS	
<u></u>	OR	

BLANK AVERAGE (FIBERS/100 FIELDS) 0.0

CLEARANCE SAMPLES

CLEARANCE LEVEL 0.01

PROJECT NO. 5539.100

PROJECT TITLE: Personal Air Monitoring-Track Xings-Libby, MT

FAIL

CLIENT: BNSF

ENCLOSURE

GLOVEBAG

1INI-ENCLOSURE

NO ENCLOSURE



DATE: 7/22/2008

PROJ. SITE MGR.: David L. Welch

WORK AREA: BNSF Track Crossing:

Sample	Pump	Time	Time	Total	Flow Rate	Volume	Sample Location/Description		Flds	Fibers/cc	8 Hr. TWA
Number	Number	On	Off	Minutes	(l/m - avg.)	(liters)		(-blank)			Fibers/cc
							IWA Personal				
1	4161	09:55	15:50	355	2.2	781	Stu Hart-Tamper	4.0	100	0.003	0.002
							IWA Personal				
2	2266	09:50	14:52	302	2.1	634	Kerry Tunison-Crew Foreman	10.5	100	0.008	0.005
							IWA Personal				
3	9755	09:52	15:54	362	2.5	905	Tim Swilley-Ballast Regulator	15.0	100	0.008	0.006
							IWA Personal				
4	4172	10:09	12:50	161	2.6	419	Roger Stanley-Ground Crew	8.0	100	0.009	0.003
							IWA Personal				
5	6528	10:14	12:47	153	2.1	321	Doug Atkins-Ground Crew	7.5	100	0.011	0.004
6							Open Blank	0.0	100		
7							Sealed Blank	0.0	100		
								0.0	100		
Samples C	ollected By	/ (Name/S	Signature)	:	Date:		Received by (Name/Signature):	•		Date:	
David L. W	elch /				7/22/2008						
Received b	y (Name/S	Signature)	:		Date:		(Laboratory) Analyzed by (Name/Signature):			Date:	
							David L. Welch 7/22/2008				
Turnaround	urnaround Time () On-site () Immediate () 24 Hour () Normal					Normal	Comments:				
							Track Crossing Replacement-Jay Effar Road				
Laboratory	aboratory Receiving Notes: Custody Sample										
			Seal Inta	ct?	Condition:						

ENCLOSURE		ASBESTOS AIR SAMPLII
IINI-ENCLOSURE	PASS	
NO ENCLOSURE	OR	y -

BLANK AVERAGE (FIBERS/100 FIELDS)	0.0
CLEARANCE SAMPLES	
OF ENDANGELEVEL	0.01

GLOVEBAG FAIL

5539.100

PROJECT TITLE: Personal Air Monitoring-Track Xings-Libby, MT

CLIENT:

PROJECT NO.

BNSF



DATE:

7/22/2008

PROJ. SITE MGR.:

David L. Welch

WORK AREA:

BNSF Track Crossing:

270800615

Sample	Pump	Time	Time	Total	Flow Rate	Volume	Sample Location/Description	Fibers	Flds	Fibers/cc	8 Hr. TWA
Number	Number	On	Off	Minutes	(I/m - avg.)	(liters)_		(-blank)			Fibers/cc
							IWA NOT SUBMITTED Personal				
1	4161	09:55	15:50	355	2.2	781	Stu Hart-Tamper DU 7-22-8	4.0	100	0.003	0.002
							IWA Personal			1	
2	2266	09:50	14:52	302	2.1	_634 _	Kerry Tunison-Crew Foreman	10.5	100	0.008	0.005
							IWA Personal				1
3 V	9755	09:52	15:54	362	2.5	905	Tim Swilley-Ballast Regulator	15.0	100_	0.008	0.006
							IWA Personal				
4 -	4172,	10:09	12:50	161	2.6	419	Roger Stanley-Ground Crew	8.0	100	0.009	0.003
	 	30 (4	1,44.000				IWA Personal				
5 -	65280	210:14	12:47	153	2.1	321	Doug Atkins-Ground Crew	7.5	100	0.011	0.004
	1						Not SUBMITTED DE				
6						_	Open Blank 7-22-08 Not submirred Co	0.0	100		
							NOT SUBMITTED CN				
7				<u></u>			Sealed Blank 7-22-08	0.0	100		<u></u>
								0.0	100		
	Collected B):	Date: 7/22/2008		Received by (Name/Signature): R/C M ahama EMSC		<u> </u>	Date:	9 1802
	Velch &				Date:		(Laboratory) Analyzed by (Name/Signature): David L. Welch	"		Date: 7/22/2008	
Turnaround Time () On-site () Immediate () 24 Hour () Normal					24 Hour () Normal	Comments: Track Crossing Replacement-Jay E	ffar Roa	d		
Laboraton	y Receiving	Notes:	Custody Seal Into		Sample Condition:						

BLANK AVERAGE (FIBERS/100 FIELDS) 0.0 CLEARANCE SAMPLES CLEARANCE LEVEL 0.01

ENCLOSURE IINI-ENCLOSURE NO ENCLOSURE GLOVEBAG

PASS OR FAIL

PROJECT NO. 5539.100

PROJECT TITLE: Personal Air Monitoring-Track Xings-Libby, MT

BNSF CLIENT:



DATE: 7/23/2008 PROJ. SITE MGR.: David L. Welch WORK AREA: **BNSF Track Crossing:**

Sample	Pump	Time	Time	Total	Flow Rate	Volume	Sample Location/Description		Flds	Fibers/cc	8 Hr. TWA
Number	Number	On	Off	Minutes	(l/m - avg.)	(liters)		(-blank)			Fibers/cc
							IWA Personal				
8	4161	09:35	14:24	289	2.1	607	Stu Hart-Tamper	3.5	100	0.003	0.002
							IWA Personal				
9	4172	09:37	14:22	285	2.6	741	Tim Swilley-Ballast Regulator	11.0	100	0.007	0.004
							IWA Personal				
10	6528	09:40	14:25	285	1.9	542	Kerry Tunison-Crew Foreman	8.0	100	0.007	0.004
							IWA Personal				
11	9047	09:51	13:54	243	2.0	486	Tom Long-Front End Loader	42.5	100	0.043	0.022
							IWA Personal				
12	2266	10:08	13:51	223	2.1	468	Tom Dinning-Ground Crew	Overloa	ded Sample	-Not Analyz	ed by PCM
							IWA Personal				
13	9755	10:09	13:52	223	2.3	513	Doug Atkins-Ground Crew	12.5	100	0.012	0.006
							-				
14							Open Blank	0.0	100		
15							Sealed Blank	0.0	100		
Samples C	ollected By	(Name/S	ignature):	•	Date:		Received by (Name/Signature):			Date:	
David L. W	elch				7/23/2008						
Received b	y (Name/S	ignature):			Date:		(Laboratory) Analyzed by (Name/Signature):			Date:	
							David L. Welch 7/23/2008				
Turnaround	d Time ()	On-site	() Immed	diate () 2	24 Hour ()	Normal	Comments:				
				1			Track Crossing Replacement-Jay Effar Road				
Laboratory	aboratory Receiving Notes: Custody Sample										
			Seal Inta	CT ?	Condition:						

13080002

ASBESTOS AIR SAMPLING CHAIN-OF-CUSTODY

ENCLOSURE PASS IINI-ENCLOSURE OR NO ENCLOSURE **FAIL** GLOVEBAG

0.0 BLANK AVERAGE (FIBERS/100 FIELDS) CLEARANCE SAMPLES CLEARANCE LEVEL 0.01

PROJECT NO.

5539.100

PROJECT TITLE: CLIENT:

Personal Air Monitoring-Track Xings-Libby, MT

BNSF

INCORPORATED

DATE: 7/23/2008 PROJ. SITE MGR.: David L. Welch WORK AREA: **BNSF Track Crossing:**

Sample Number	Pump Number	Time On	Time Off	Total Minutes	Flow Rate (I/m - avg.)	Volume (liters)	Sample Location/Description	Fibers (-blank)	Flds	Fibers/cc	8 Hr. TWA Fibers/cc
8	4161	09:35	14:24	289	2.1	607	IWA Not SUBMITTED Personal Stu Hart-Tamper 1 7-23-28	3.5	100	0.003	0.002
				285	2.6	741	IWA Personal Tim Swilley-Ballast Regulator	11.0	100	0.007	0.004
9	4172 6528	09:37 09:40	14:22 14:25	285	1.9	542	IWA Not SUBMITED DA Personal Kerry Tunison-Crew Foreman 7-23-08		100	0.007	0.004
11	9047	09:51	13:54	243	2.0	486	IWA Personal Tom Long-Front End Loader	42.5	100	0.043	0.022
12	2266	10:08	13:51	223	2.1	468	IWA Personal Tom Dinning-Ground Crew		ded Sample	 e-Not Analyz 	ed by PCM
13	9755	10:09	13:52	223	2.3	513	Doug Atkins-Ground Crew	12.5	100	0.012	0.006
14							Open Blank 7-23-08 No TSUBMITTED DOWN	0.0	100_		
15							Sealed Blank 7-23-08	0.0	100		
	collected B	(Name/S	Signature))	Date: 7/23/2008		Received by (Name/Signature): RKON Loren Emsc.			Date: 7/23/08	1707
	by (Name/S	Signature)	:		Date:		(Laboratory) Analyzed by (Name/Signature): David L. Welch			Date: 7/23/2008	<u> </u>
Turnaroun	Furnaround Time () On-site () Immediate () 24 Hour () Normal					Normal	Comments: Track Crossing Replacement-Jay E	ffar Road	d		
Laboratory	Receiving	Notes:	Custody Seal Inta		Sample Condition:						

0.0	BLANK AVERAGE (FIBERS/100 FIELDS)
	CLEARANCE SAMPLES
0.01	CLEARANCE LEVEL

ENCLOSURE PASS 1INI-ENCLOSURE OR NO ENCLOSURE **FAIL** GLOVEBAG

PROJECT NO. 5539.100

PROJECT TITLE: Personal Air Monitoring-Track Xings-Libby, MT

BNSF CLIENT:



DATE: 7/29/2008 PROJ. SITE MGR.: David L. Welch WORK AREA: BNSF Track Crossing:

Cedar Creek

Sample Number	Pump Number	Time On	Time Off	Total Minutes	Flow Rate (I/m - avg.)	Volume (liters)	Sample Location/Description	Fibers (-blank)	Flds	Fibers/cc	8 Hr. TWA Fibers/cc
							IWA Personal	SUBMITT	ED FOR A	HERA TEM /	ANALYSIS
16	4172	09:42	13:27	225	2.5	563	Doug Atkins-Ground Crew	7/29/08			
							IWA Personal	SUBMITT	ED FOR A	HERA TEM A	ANALYSIS
17	9047	09:45	15:50	365	1.9	694	Tom Long-Front End Loader	7/29/08			
							IWA Personal	SUBMITT	ED FOR A	HERA TEM A	ANALYSIS
18	6528	09:50	13:28	218	1.9	414	Roger Stanley-Ground Crew	7/29/08			
							IWA Personal	SUBMITT	ED FOR A	HERA TEM A	ANALYSIS
19	4161	10:00	13:33	213	2.5	533	Kerry Tunison-Tamper	7/29/08			
							IWA Personal	SUBMITT	ED FOR A	HERA TEM /	ANALYSIS
20	9755	09:58	13:31	213	2.5	533	Tim Swilley-Ballast Regulator	7/29/08			
							IWA Personal	SUBMITT	ED FOR A	HERA TEM A	ANALYSIS
21	6528	10:00	13:38	218	2.0	436	Greg Carter-Ground Crew	7/29/08			
								Not Analy	zed		
22							Open Blank				
								Not Analy	zed		
23							Sealed Blank				
Samples C David L. W	Collected By Velch	(Name/S	Signature):		Date: 7/29/2008		Received by (Name/Signature):			Date:	
Received b	oy (Name/S	ignature):			Date:		(Laboratory) Analyzed by (Name/Signature):			Date:	
Turnaroun	d Time ()	On-site	() Immed	diate () 2	24 Hour()	Normal	Comments: No PCM analysis conducted following	ng acetone	and triaceti	n chemical ta	aken from
Laboratory	Receiving	Notes:	Custody Seal Inta	ct?	Sample Condition:		packed field supplies by Transportation Security Administration at airport security. DLW				

GLOVEBAG	FAIL
NO ENCLOSURE	OR
INI-ENCLOSURE	PASS
ENCLOSURE	

PROJECT NO.

CLIENT:

PROJECT TITLE:

BLANK AVERAGE (FIBERS/100 FIELDS) 0.0

CLEARANCE SAMPLES

CLEARANCE LEVEL 0.01

- FAIL	
5539.100	
Personal Air Monitoring-Track Xings-Libby,	MT LELLY LIE
BNSF	INCORPORATE

DATE: 7/29/2008

PROJ. SITE MGR.: David L. Welch

WORK AREA: BNSF Track Crossing:

Cedar Creek

Sample Number	Pump Number	Time On	Time Off	Total Minutes	Flow Rate (I/m - avg.)	Volume (liters)	Sample Location/Description	Fibers (-blank)	Flds	Fibers/cc	8 Hr. TWA Fibers/cc
	, , ,						IWA Personal				:
<u>~ 16</u>	4172	09:42	13:27	225	2.5	563	Doug Atkins-Ground Crew				
							IWA Personal				
V 17	9047	09:45	15:50	365	1.9	694	Tom Long-Front End Loader				
							IWA Personal				
لا 18	6528	09:50	13:28	218	1.9	414	Roger Stanley-Ground Crew			_1_	
							IWA Personal				
1 9	4161	10:00	13:33	213	2.5	533	Kerry Tunison-Tamper	•			
							IWA Personal				
<u>~ 20</u>	9755	09:58	13:31	213	2.5	533	Tim Swilley-Ballast Regulator	1			
•							IWA Personal				
V 21	6528	10:00	13:38	218	2.0	436	Greg Carter-Ground Crew	1			ļ
		NOT	SUBMIT	<u> </u>		7-29	০ও	et.			
22		HOT	5JBmii	res 1	,		Open Blank				<u> </u>
					- DO	7-	25-28				
23	<u></u>	 					Sealed Blank				
Samples C	ollected By	(Name/S	ignature):		Date:		Received by (Name/Signature):			Date:	
	/elch 🖳		2c		7/29/2008		P.K. Maloner EMSL			7/29/08	1656
Received I	oy (Name/S	Signature)	;		Date:		(Laboratory) Analyzed by (Name/Signature):			Date:	
Turnaroun	d Time () On-site	() Immed	diate X 2	24 Hour ()	Normal	Comments:	· · · · · · · · · · · · · · · · · · ·	······································		
							Track Crossing Replacement-Cedar	Creek			
Laboratory	Receiving	Notes:	Custody		Sample		·				
			Seal Inta	ct?	Condition:					•	

BLANK AVERAGE (FIBERS/100 FIELDS)	0
CLEARANCE SAMPLES	
CLEARANCE LEVEL	0.0

0.01

ENCLOSURE PASS 1INI-ENCLOSURE OR NO ENCLOSURE FAIL GLOVEBAG

INCORPORATED

PROJECT NO. 5539.100

PROJECT TITLE:

CLIENT:

Personal Air Monitoring-Track Xings-Libby	, M⊺
BNSF	

DATE:	7/29/2008	
ROJ. SITE MGR.:	David L. Welch	
WORK AREA:	BNSF Track Crossing:	
	Cedar Creek	

Sample	Pump	Time	Time	Total	Flow Rate	Volume	Sample Location/Description	F	Fibers	Flds	Fibers/cc	8 Hr. TWA
Number	Number	On	Off	Minutes	(l/m - avg.)	(liters)		((-blank)			Fibers/cc
							IWA Pers	onal				
16	4172	09:42	13:27	225	2.5	563	Doug Atkins-Ground Crew	0	verloaded	b		
							IWA Pers	onal				
17	9047	09:45	15:50	365	1.9	694	Tom Long-Front End Loader		58.0	100	0.041	0.031
							IWA Pers	onal				
18	6528	09:50	13:28	218	1.9	414	Roger Stanley-Ground Crew		39.0	100	0.046	0.021
							IWA Pers	onal				
19	4161	10:00	13:33	213	2.5	533	Kerry Tunison-Tamper		43.0	100	0.040	0.018
							IWA Pers	onal				
20	9755	09:58	13:31	213	2.5	533	Tim Swilley-Ballast Regulator		17.0	100	0.016	0.007
							IWA Pers	onal				
21	6528	10:00	13:38	218	2.0	436	Greg Carter-Ground Crew		9.0	100	0.010	0.005
							-					
22							Open Blank		2.0	100		
23							Sealed Blank		0.0	100		
Samples C	Collected By	/ (Name/S	Signature)		Date:		Received by (Name/Signature):	Date:				
David L. W	/elch				7/29/2008		Michael C. McKay	8/7/2008				
Received b	oy (Name/S	ignature):			Date:		(Laboratory) Analyzed by (Name/Signature	∋):			Date:	
Michael C.	McKay						Michael C. McKay		8/7/2008			
Turnaroun	d Time (On-site	() Imme	diate () 2	4 Hour ()	Normal	Comments:				-	
							PCM analysis done after TEM a	nalysi	s that cor	ntained no	detectable as	bestos fibers
Laboratory	Receiving	Notes:	Custody		Sample		PCM not conducted initially based on acetone and triacetin slide preparation chemical					
			Seal Inta	ct?	Condition:		removed by airport security.					

Phone: (406) 293-9066 Fax: Email: mobileasbestoslab@emsl.com

Attn: Dave Welch

EMR Inc (Environmental Management Resrcs

Suite 114

5301 E. River Road

Fridley, MN 55421

(763) 277-5201 Fax:

Project:

Phone: (763) 277-5200

B080001

Samples collected 7/22/2008

Customer ID:

Customer PO:

Received: EMSL Order: 07/22/08 6:02 PM

270800615

EMRI53

EMSL Proj:

7/23/2008

Analysis Date: Report Date:

7/23/2008

Sampling Date

7/22/2008

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

		Volume	Area Analyzed	Non	Asbestos	# Structu	res	Analytical Sensitivity	Asbe Concen	
Sample	Location	(Liters)	(mm ²)	Asb	Type(s)	$\geq 0.5\mu < 5$	≥5μ	(S/cc)	(S/mm^2)	(S/cc)
2 270800615-0001		634.00	0.1300		None Dete	ected		0.0047	<7.70	<0.0047
3 270800615-0002		905.00	0.0910		None Dete	ected		0.0047	<11.00	<0.0047
4 270800615-0003		419.00	0.1300		None Dete	ected		0.0071	<7.70	<0.0071
5 270800615-0004		321.00	0.1300		None Dete	ected		0.0092	<7.70	<0.0092

Analyst(s)

Ron Mahoney (4)

R. K. Mahoney, Laboratory Manager or other approved signatory

Disclaimers: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request. As per 40 CFR 763, the initial screening test may not be applied to samples with collected volumes of <1200 liters. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Accredited for NVLAP PLM/TEM. NVLAP Libby code: 200745-0

Phone: (406) 293-9066 Fax: Email: mobileasbestoslab@emsl.com

Attn: Dave Welch

EMR Inc (Environmental Management Resrcs

Suite 114

5301 E. River Road

Fridley, MN 55421

Fax: (763) 277-5201

Phone: (763) 277-5200

Project: B080002

Samples collected 7/23/2008

Customer ID:

Customer PO:

Received:

EMSL Proj:

07/23/08 5:07 PM

EMRI53

EMSL Order:

270800623

BNSF Libby, MT 2008

Analysis Date: 7/24/2008 Report Date: 7/24/2008

Sampling Date 7/23/2008

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

		Volume	Area Analyzed	Non	Asbestos	# Structu	res	Analytical Sensitivity	Asbe Concen	
Sample	Location	(Liters)	(mm²)	Asb	Type(s)	$\geq 0.5\mu < 5$	≥5μ	(S/cc)	(S/mm^2)	(S/cc)
9 270800623-0001		741.00	0.1040		None Dete	ected		0.0050	<9.60	<0.0050
11 270800623-0002		486.00	0.1300		None Dete	ected		0.0061	<7.70	<0.0061
12 270800623-0003		468.00	0.1300		None Dete	ected		0.0063	<7.70	<0.0063
13 270800623-0004		513.00	0.1300		None Dete	ected		0.0058	<7.70	<0.0058

Ron Mahoney (4)

R. K. Mahoney, Laboratory Manager or other approved signatory

Disclaimers: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request. As per 40 CFR 763, the initial screening test may not be applied to samples with collected volumes of <1200 liters. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted.

Accredited for NVLAP PLM/TEM. NVLAP Libby code: 200745-0

Phone: (406) 293-9066 Fax: Email: mobileasbestoslab@emsl.com

Attn: Dave Welch

EMR Inc (Environmental Management Resrcs

Suite 114

5301 E. River Road

Fridley, MN 55421

Fax: (763) 277-5201

Project:

Phone: (763) 277-5200

B080003

Samples collected 7/29/2008

Customer ID:

Customer PO:

Received: EMSL Order:

Sampling Date

07/29/08 4:56 PM

27

270800662

EMSL Proj: BNSF Libby, MT 2008

7/29/2008

EMRI53

Analysis Date: 7/30/2008 Report Date: 7/30/2008

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

		Volume	Area Analyzed	Non	Asbestos	# Structu	res	Analytical Sensitivity	Asbe Concen	
Sample	Location	(Liters)	(mm²)	Asb	Type(s)	$\geq 0.5\mu < 5$	≥5μ	(S/cc)	(S/mm^2)	(S/cc)
16 270800662-0001		563.00			Overloade	d				
17 270800662-0002		694.00	0.1300		None Dete	ected		0.0043	<7.70	<0.0043
18 270800662-0003		414.00	0.1300		None Dete	ected		0.0072	<7.70	<0.0072
19 270800662-0004		533.00	0.1300		None Dete	ected		0.0056	<7.70	<0.0056
20 270800662-0005		533.00	0.1300		None Dete	ected		0.0056	<7.70	<0.0056
21 270800662-0006		436.00	0.1300		None Dete	ected		0.0068	<7.70	<0.0068

Analysi(s)	
Ron Mahoney (5)	
	R. K. Mahoney, Laboratory Manager

Disclaimers: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request. As per 40 CFR 763, the initial screening test may not be applied to samples with collected volumes of <1200 liters. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted.

Accredited for NVLAP PLM/TEM. NVLAP Libby code: 200745-0

or other approved signatory

Phone: (406) 293-9066 Fax: Email: mobileasbestoslab@emsl.com

Attn: Dave Welch

EMR Inc (Environmental Management Resrcs

Suite 114

5301 E. River Road

Fridley, MN 55421

Fax: (763) 277-5201

Project:

B080003

Phone: (763) 277-5200

Samples collected 7/29/2008

Customer ID:

EMRI53

Customer PO:

Received: EMSL Order: 07/29/08 4:56 PM

270800662

EMSL Proj: BNSF Libby, MT 2008

Analysis Date: 7/31/2008 Report Date: 7/31/2008

Sampling Date

7/29/2008

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by AHERA -EPA 40 CFR Part 763 Appendix A to Subpart E (Modified for Indirect Prep)

		Volume	Area Analyzed	Non	Asbestos	# Structu	res	Analytical Sensitivity	Total A Concen	
Sample	Location	(Liters)	(mm^2)	Asb	Type(s)	$\geq 0.5\mu < 5$	≥ <i>5</i> µ	(S/cc)	(S/mm^2)	(S/cc)
16 270800662-0001		563.00	0.1300		None Dete	ected		0.0490	<72.00	<0.0490

Analyst(s)	
Ron Mahoney (1)	
	R. K. Mahoney, Laboratory Manager or other approved signatory

Disclaimers: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request. As per 40 CFR 763, the initial screening test may not be applied to samples with collected volumes of <1200 liters. The test results contained within this report meet the requirements of NELAC unless otherwise noted. Samples received in good condition unless otherwise noted. Accredited for NVLAP PLM/TEM. NVLAP Libby code: 200745-0